

Measuring wheels



MR200KR
Measuring wheels MR200KR

Circumference 200 mm,
Surface finish: Metal, knurled
Fields of application: Pasteboard, wood,
certain textiles.
For encoder with shaft Ø 6 mm or 10 mm.



MRA200KR
Measuring wheels MRA200KR

Circumference 200 mm,
Surface finish: Metal, knurled
Fields of application: Pasteboard, wood,
textiles, rubber, soft plastic.
For encoder with shaft Ø 6 mm, Ø 10 mm or
Ø 12 mm.



MR200KG
Measuring wheels MR200KG

Circumference 200 mm,
Surface finish: Synthetic (Hytrel, fluted)
Fields of application: Plastic, painted
surfaces, paper, pasteboard, wood, metal,
textiles.
For encoder with shaft Ø 6 mm or 10 mm.




MRA200KG
Measuring wheels MRA200KG

Circumference 200 mm,
Surface finish: Synthetic (Polyurethan, fluted)
Fields of application: metal ungreased,
painted surfaces, plastic, paper, pasteboard,
wood, textiles, glas, floor coverings.
For encoder with shaft Ø 6 mm, Ø 10 mm or
Ø 12 mm.



MR200KH
Measuring wheels MR200KH

Circumference 200 mm,
Surface finish: Synthetic (Hytrel, even)
Fields of application: Plastic, painted
surfaces, paper, pasteboard, wood, metal,
textiles.
For encoder with shaft Ø 6 mm or 10 mm.



MRA200KH
Measuring wheels MRA200KH

Circumference 200 mm,
Surface finish: Synthetic (Polyurethan, even)
Fields of application: greased metal, steal
profiles, painted surfaces, plastic, paper,
pasteboard, wood, textiles, wire, leather.
For encoder with shaft Ø 6 mm, Ø 10 mm or
Ø 12 mm.



MR200NG

Measuring wheels MR200NG

Circumference 200 mm,
Surface finish: Synthetic (pimpled rubber)
Fields of application: Textiles.
For encoder with shaft Ø 6 mm or 10 mm.



MRA200NG

Measuring wheels MRA200NG


Circumference 200 mm,
Surface finish: Synthetic (pimpled Polyurethan)
Fields of application: rough textiles, carpet, cable measuring, fleece, paper, pasteboard, wood, plastic.
For encoder with shaft Ø 6 mm, Ø 10 mm or Ø 12 mm.



MR500KR

Measuring wheel MR500KR

Circumference 500 mm,
Surface finish: Metal, knurled
Fields of application: Rubber, soft plastics, certain textiles, rough wood.
For encoder with shaft Ø 10 mm.



MRA500KR

Measuring wheels MRA500KR

Circumference 500 mm,
Surface finish: Metal, knurled
Fields of application: Pasteboard, wood, textiles, rubber, soft plastic.
For encoder with shaft Ø 10 mm or Ø 12 mm.



MR500KH

Measuring wheel MR500KH

Circumference 500 mm,
Surface finish: Synthetic (Hytrel, even)
Fields of application: Plastic, painted surfaces, paper, pasteboard, wood, metal, textiles.
For encoder with shaft Ø 10 mm.



MRA500KH

Measuring wheels MRA500KH

Circumference 500 mm,
Surface finish: Synthetic (Polyurethan, even)
Fields of application: greased metal, steal profiles, painted surfaces, plastic, paper, pasteboard, wood, textiles, wire, leather.
For encoder with shaft Ø 10 mm or Ø 12 mm.



MR500KG

Measuring wheel MR500KG

Circumference 500 mm,
Surface finish: Synthetic (Hytrel, fluted)
Fields of application: Plastic, painted surfaces, paper, pasteboard, wood, metal, textiles.
For encoder with shaft Ø 10 mm.

MRA500KG

Measuring wheels MRA500KG



Circumference 500 mm,
Surface finish: Synthetic (Polyurethan, fluted)
Fields of application: metal ungreased,
painted surfaces, plastic, paper, pasteboard,
wood, textiles, glas, floor coverings.
For encoder with shaft Ø 10 mm or Ø 12 mm.

MR500KV

Measuring wheel MR500KV



Circumference 500 mm,
Surface finish: Synthetic (Vulkollan®, even)
Fields of application: Plastic, painted
surfaces, paper, pasteboard, wood, metal,
wire.
For encoder with shaft Ø 10 mm.

MR500NG

Measuring wheel MR500NG



Circumference 500 mm.
Surface finish: pimpled rubber
Fields of application: Textiles
For encoder with shaft Ø 10 mm.

MRA500NG

Measuring wheels MRA500NG



Circumference 500 mm,
Surface finish: Synthetic (pimpled
Polyurethan)
Fields of application: rough textiles, carpet,
cable measuring, fleece, paper, pasteboard,
wood, plastic.
For encoder with shaft Ø 10 mm or Ø 12 mm.
